	Application No.	Applicant(s)		
Notice of Allowability	10/849,500	BISHOP ET AL.		
	Examiner	Art Unit		
	M. Safavi	3673		
	IVI. Salavi	3073	<u> </u>	
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in to or other appropriate communication. This application is su	this application. If not includation will be mailed in due	ded e course. THIS	
1. This communication is responsive to <u>April 24, 2006</u> .				
2. The allowed claim(s) is/are <u>1-22,26,29-35 and 37-40</u> .				
 Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 		· (f).		
1. Certified copies of the priority documents have been received.				
2. Certified copies of the priority documents have been received in Application No				
3. Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give			NOTICE OF	
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) ⊠ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) ⊠ hereto or 2) ☐ to Paper No./Mail Date	•			
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in	n the Office action of		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
•				
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Notice of Info	rmal Patent Application (PT	O 152)	
2. Notice of Praftperson's Patent Drawing Review (PTO-948)		• • • • • • • • • • • • • • • • • • • •	0-132)	
	Paper No./M	6. ☐ Interview Summary (PTO-413), Paper No./Mail Date		
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	8), 7. 🖾 Examiner's A	mendment/Comment		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	_	8. Examiner's Statement of Reasons for Allowance —		
	9. 🗌 Other			

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claim 26, line 11, change "an" to --a--.

Claim 37, line 14, before "patient" insert --the--.

The above amendment is being made to incorporate an appropriate article for "notched opening" of claim 26 and for "patient support structure" of claim 37.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to M. Safavi whose telephone number is (571) 272-7046. The examiner can normally be reached on Mon.-Thur., 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patricia Engle can be reached on (571) 272-6660. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

M. Safavi July 02, 2006

MICHAEL SAFAVI PRIMARY EXAMINER ART UNIT 354